

Management of Canada Geese



Life history

Age to maturity – 2 years

Clutches per year – 1

Young per clutch – 3-8



Damage



Health and Safety




Nuisance



Integrated goose management

- The timely use of a variety of cost-effective methods to reduce damage to a tolerable level



- **Habitat Modification**
- **Exclusion**
- **Frightening Devices**
- **Repellents**
- **Fertility Control**
- **Toxicants**
- **Trapping**
- **Shooting**



Habitat Modification

- Reduce food
- Reduce water
- Reduce shelter



Habitat Modification

- **No feeding of geese**



Habitat Modification

- **Lines**



Habitat Modification

- **Shorelines**



Habitat Modification

- **Nesting habitat**



Habitat Modification

- **Grazing areas**



Exclusion

- **Fencing**



Frightening

- **Audio**



Frightening

- **Visual**



Frightening

- **Visual/audio**



Frightening

- **Biological**



Repellents

- Methyl anthranilate
- Anthraquinone



Control of Reproduction

- Egg addling



Control of Reproduction

- OvoControl G



Capture and Removal

- **Alpha-chlorolose**



Capture and Removal

- **Goose roundups**



Capture and Removal

- **Translocation**
- **Eutanization**



Toxicants

- None registered

Shooting

- **Harvest seasons**



Shooting

- **Kill permits**



Public attitudes

- **Stakeholder groups**
- **Opposing viewpoints**

